

DECLARATION OF PERFORMANCE

According to Annex III of the Regulation (EU) no 305/2011

No: **DOP 2022 – AR109001**

1. Unique identification code of the product

Arbosil 1090. For Batch number see product packaging

2. Intended uses/es

EN15651 -1: 2012 Sealant for Façade Elements

3. Manufacturer

Adshead Ratcliffe & Co Ltd, Derby Road, Belper, Derby, DE56 1WJ

4. Authorised Representative

Not Applicable

5. System of AVCP

System 3

6. Designated Standard

The Approved Body 4ward Testing, Identification Number 2538, performed initial type testing and issued a test report to EN 15651: 2012, Sealants for non-structural use in joints in buildings and pedestrian walkways, Part 1: Sealants for façade elements

7. Declared Performance

Substrate: mortar with Arbo Primer 2650 Conditioning A and B where applicable

UK CA

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to Fire (EN 13501)	NPD	EN15651-1:2012
Release of chemicals dangerous to the environment and health	See product Material Safety Data Sheet	
Resistance to Flow (ISO 7390)	\leq 3 mm	
Loss of Volume (ISO 10563)	$\leq 10 \%$	
Determination of Tensile Properties at Maintained Extension after Immersion in Water (ISO 10590)	Pass	
Determination of Tensile Properties at Maintained	Pass (23°C) Pass (-20°C)	
Extension (ISO 8340)		

8. Appropriate Technical Documentation for which a European Technical Assessment has been issued

Not Applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011 as it has effect in the United Kingdom in respect of Great Britain, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by

Q. e

Adam Crawford Technical Manager

Belper (UK) 04 August 2022